



ACCURATE REFRACTIVE AND KERATOMETRY MEASUREMENTS



AKR 550


HIGH PERFORMANCE REFRACTION



AKR 550

ACCURATE MEASUREMENTS

- Ultra-precise refraction and corneal measurements, even on small pupils
- Automatic pupil size measurement in scotopic and photopic light conditions



EASY TO OPERATE

- Guided alignment and auto-shoot features; measurement starts automatically after focus
- Tilting and swiveling screens for ease of use from seated and standing positions

CONVENIENCE AND COMPATIBILITY

- Compact dimensions for ease of integration into exam or dispensing rooms
- Connects easily to the APH 550 automatic phoropter for an automatic transmission of objective refraction data

FUNCTIONS

REFRACTION MEASUREMENTS



Sphere



Cylinder



Axis



Pupil Diameter

KERATOMETRY MEASUREMENTS



Corneal curvature radius



Corneal refraction



Corneal astigmatism



Astigmatism axis



Printer

Dimensions: 260(L) x 442(D) x 445(H) mm
Weight: 13Kg.
Color LCD touch screen: Size 5.7"
Power-supply 100-240 V AC, 50-60 Hz, 60 VA

As improvements are made, these specifications and pictures are not contractually binding and may be changed without prior notice. **CE** Conformity marking.



ESSILOR INSTRUMENTS
81 boulevard Jean-Baptiste Oudry
94000 Créteil
France
Tel. : +33 (0)1 49 80 62 80
www.essilor-instruments.com

